

Compliance Document

No. D 108394 0014 Rev. 00

Holder of Certificate: **Zigong Xingchuan Photoelectric Co., Ltd.**
No.19 East Ring Road, Bancang Industrial Park
Yantan District
643030 Zigong City
PEOPLE'S REPUBLIC OF CHINA

Product: **Converter**
(PV grid-interactive inverter)

This Compliance document confirms the compliance with the listed standards on a voluntary basis. It refers only to the sample submitted for testing and certification and does not certify the quality or safety of the serial products. For details see: www.tuvsud.com/ps-cert

Test report no.: 64290223093301

Date, 2022-09-21



(Billy Qiu)

Compliance Document

No. D 108394 0014 Rev. 00

Model(s): Apollo 6K-T0, Apollo 8K-T0, Apollo 10K-T0, Apollo 12K-T0, Apollo 15K-T0

Parameters:

Model:	Apollo 6K-T0	Apollo 8K-T0	Apollo 10K-T0	Apollo 12K-T0	Apollo 15K-T0
Maximum rated d.c. input voltage	1000 Vd.c.				
PV input MPPT operating voltage range	160-950 Vd.c.				
Maximum operating PV input current	13+13 Ad.c.			26+13 Ad.c.	
Maximum total PV array s-c current	15+15 Ad.c.			30+15 Ad.c.	
a.c. output voltage range	230/400 Va.c. 3W+N+PE				
Nominal a.c. output frequency	50 Hz				
Maximum continuous a.c. output current	10 Aa.c.	13 Aa.c.	16 Aa.c.	19 Aa.c.	23 Aa.c.
Nominal output active power Pn	6000 W	8000 W	10000 W	12000 W	15000 W
Power factor	0.8 ind. ~ 0.8 cap.				

Tested according to:

UNE 217002:2020
RD 1699:2011
UNE 206007-1 IN:2013
UNE 206006 IN:2011
RD 661:2007
RD 413:2014