



Product Service

Attestation of Conformity

No. N8A 108394 0007 Rev. 00

Holder of Certificate: **Zigong Xingchuan Photoelectric Co., Ltd.**
No.19 East Ring Road, Bancang Industrial Park
Yantan District
643030 Zigong City
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 882162215501

Date, 2022-08-12

(Xinlian LUO)



Product Service

Attestation of Conformity

No. N8A 108394 0007 Rev. 00

Model(s):

1000V DC modules:

ZPMxxxMA-72 (xxx=330-385, in steps of 5)

ZPMxxxMA-60 (xxx=275-320, in steps of 5)

ZPMxxxMA-54 (xxx=250-285, in steps of 5)

1000V DC half-cell modules:

ZPMxxxMH-72 (xxx=340-390, in steps of 5)

ZPMxxxMH-60 (xxx=285-325, in steps of 5)

ZPMxxxMH-54 (xxx=255-290, in steps of 5)

ZPMxxxMH2-72 (xxx=390-425, in steps of 5)

ZPMxxxMH2-60 (xxx=325-350, in steps of 5)

ZPMxxxMH3-72 (xxx=415-460, in steps of 5)

ZPMxxxMH3-60 (xxx=345-380, in steps of 5)

ZPMxxxMH5-72 (xxx=520-555, in steps of 5)

ZPMxxxMH5-66 (xxx=480-505, in steps of 5)

ZPMxxxMH5-60 (xxx=435-460, in steps of 5)

ZPMxxxMH5-54 (xxx=390-415, in steps of 5)

ZPMxxxMH8-66 (xxx=635-670, in steps of 5)

ZPMxxxMH8-60 (xxx=580-605, in steps of 5)

1000V DC 1/3 cut cell modules:

ZPMxxxMT8-50 (xxx=480-510, in steps of 5)

ZPMxxxMT8-40 (xxx=385-405, in steps of 5)

1500V DC modules:

ZPMxxxMA-72(1500) (xxx=340-385, in steps of 5)

ZPMxxxMA-60(1500) (xxx=285-320, in steps of 5)

ZPMxxxMA-54(1500) (xxx=255-285, in steps of 5)

1500V DC half-cell modules:

ZPMxxxMH-72(1500) (xxx=340-390, in steps of 5)

ZPMxxxMH-60(1500) (xxx=285-325, in steps of 5)

ZPMxxxMH-54(1500) (xxx=255-290, in steps of 5)

ZPMxxxMH2-72(1500) (xxx=390-425, in steps of 5)

ZPMxxxMH2-60(1500) (xxx=325-350, in steps of 5)

ZPMxxxMH3-72(1500) (xxx=415-460, in steps of 5)

ZPMxxxMH3-60(1500) (xxx=345-380, in steps of 5)

ZPMxxxMH5-72(1500) (xxx=520-555, in steps of 5)

ZPMxxxMH5-66(1500) (xxx=480-505, in steps of 5)

ZPMxxxMH5-60(1500) (xxx=435-460, in steps of 5)

ZPMxxxMH5-54(1500) (xxx=390-415, in steps of 5)

ZPMxxxMH8-66(1500) (xxx=635-670, in steps of 5)

ZPMxxxMH8-60(1500) (xxx=580-605, in steps of 5)

1500V DC 1/3 cut cell modules:

ZPMxxxMT8-50(1500) (xxx=480-510, in steps of 5)

ZPMxxxMT8-40(1500) (xxx=385-405, in steps of 5)

xxx is standing for rated output power at STC



Product Service

Attestation of Conformity

No. N8A 108394 0007 Rev. 00

Parameters:

Construction: Framed or frameless, with Junction box, Cable and Connectors

Test Laboratory: Yangzhou Opto-Electrical Products Testing Institute

(No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China)

Safety Class: Class II

Max. System Voltage: 1000V DC or 1500V DC

Fire Safety Class: Class C according to UL790

Tested according to:

EN IEC 61730-1:2018

EN IEC 61730-2:2018

EN IEC 61730-1:2018/AC:2018-06

EN IEC 61730-2:2018/AC:2018-06